

NVR301-04/08B



Key Feature


- Support Ultra 265/H.265/H.264 video formats
- 4/8-channel input
- Third-party IP cameras supported with ONVIF conformance: Profile S, Profile G, Profile C, Profile Q, Profile A, Profile T
- Support 1-ch HDMI, 1-ch VGA
- HDMI and VGA simultaneous output
- Up to 2MP resolution recording
- 1 SATA HDD up to 8 TB
- Support cloud upgrade

Specifications


| Model | NVR301-04B | NVR301-08B |
|---------------------------|---|------------|
| Video/Audio Input | | |
| IP Video Input | 4-ch | 8-ch |
| Network | | |
| Incoming Bandwidth | 40Mbps | |
| Outgoing Bandwidth | 40Mbps | |
| Remote Users | 128 | |
| Protocols | P2P, UPnP, NTP, DHCP, PPPoE | |
| Video/Audio Output | | |
| HDMI/VGA Output | HDMI: 1920x1080p /60Hz, 1920x1080p /50Hz, 1600x1200 /60Hz, 1280x1024 /60Hz, 1280x720 /60Hz, 1024x768 /60Hz VGA: 1920x1080p /60Hz, 1920x1080p /50Hz, 1600x1200 /60Hz, 1280x1024 /60Hz, 1280x720 /60Hz, 1024x768 /60Hz | |

| | | |
|---------------------------|--|-----------|
| Recording Resolution | 1080p/960p/720p/D1/2CIF/CIF | |
| Synchronous Playback | 4-ch | 8-ch |
| Corridor Mode Screen | 3/4 | 3/4/5/7/9 |
| Decoding | | |
| Decoding format | Ultra 265/H.265/H.264 | |
| Liveview/ Playback | 1080p/960p/720p/D1/2CIF/CIF | |
| Capability | 2 x 1080p@30, 4 x 720p@30 | |
| Hard Disk | | |
| SATA | 1 SATA interface | |
| Capacity | up to 8TB for each disk | |
| External Interface | | |
| Network Interface | 1 RJ45 10M/100M self-adaptive Ethernet Interface | |
| USB Interface | Front panel: 1 x USB2.0 ; Rear panel: 1 x USB2.0 | |
| General | | |
| Power Supply | 12V DC Power Consumption: ≤3.2 W(without HDD) | |
| Working Environment | -10°C ~ + 55°C (+14°F ~ +131°F), Humidity ≤ 90% RH(non-condensing) | |
| Dimensions(W×D×H) | 260mm × 240mm × 44mm(10.2"×9.4"×1.7") | |
| Weight (without HDD) | 0.9kg (1.98 lb) | |

Dimensions



Rear Panel



Zhejiang Uniview Technologies Co.,Ltd.

Building No.10, Wanlun Science Park, Jiangling Road 88, Binjiang District, Hangzhou, Zhejiang, China

Email: overseasbusiness@uniview.com; globalsupport@uniview.com

<http://www.uniview.com>

©2018 Zhejiang Uniview Technologies Co.,Ltd. All rights reserved.

*Product specifications and availability are subject to change without notice.